



Geometry Formulas

Cone




$$V = \frac{1}{3}\pi r^2 h$$
$$S = \pi r\sqrt{r^2 + h^2} + \pi r^2$$

Cylinder




$$V = \pi r^2 h$$
$$S = 2\pi r h + 2\pi r^2$$

Sphere




$$V = \frac{4}{3}\pi r^3$$
$$S = 4\pi r^2$$

Rectangular Solid




$$V = \ell w h$$
$$S = 2\ell w + 2\ell h + 2hw$$

Pythagorean Theorem




$$A^2 + B^2 = C^2$$

Law of Similar Triangles



$$\frac{a}{A} = \frac{b}{B} = \frac{c}{C}$$

1. Billy Bob goes out on a boat for a bit of fishing and hooks a large shark at the surface of the water. He holds the fishing rod steady so that the tip of the rod remains 9 ft above the surface of the water.
- (a) (3 points) Complete the picture below by filling in the boxes with the lengths of the dashed lines and fishing line. Use variables for quantities that change and numbers for quantities that remain the same.



- (b) (7 points) If the shark swims along the surface of the water toward the boat at a speed of $7 \frac{\text{ft}}{\text{sec}}$, how fast does Billy Bob in the line in order to keep the line taut when the shark is 40 ft away? (You may use the fact that $\sqrt{1681} = 41$.)

2. (5 points) Let f be a differentiable function. Newton's method produces a sequence x_1, x_2, x_3, \dots of approximate solutions to $f(x) = 0$ given an initial guess x_0 . Complete the formula for computing this sequence.

$$\boxed{\phantom{x_{n+1}}} = \boxed{\phantom{x_n - \frac{f(x_n)}{f'(x_n)}}}$$


3. (8 points) For each of the following statements, circle True if the statement must be true and False if it is ever false. No justification is required.
- (a) True | False: If a square grows larger, so that its side length increases at a constant rate, then its area will also increase at a constant rate.
- (b) True | False: The *differential* of a differentiable function g is $dg = g'(x)dx$.
- (c) True | False: If f and g are differentiable functions, then $\lim_{x \rightarrow c} \frac{f(x)}{g(x)} = \lim_{x \rightarrow c} \frac{f'(x)}{g'(x)}$.
- (d) True | False: If f is a differentiable function, then the *linearization of f at a* is the approximating function $L(x) = f(a) + f'(a)(x - a)$.
4. Let $f(x) = \sqrt[3]{x}$.
- (a) (5 points) Find the linearization $L(x)$ of f at 8.

- (b) (2 points) Use the linearization to approximate $\sqrt[3]{8.12}$. Simplify.

5. (10 points) You measure a cube of gold and find that the edge is 10 cm. Use differentials to estimate the change in volume of a cube if the length is 10.1 cm instead. Include the correct units. Note: I do not want the exact difference.

6. (10 points) Suppose that $p(x) = -x^3 + \frac{9}{2}x^2 - 6x$ represents the profit (in millions of dollars) of Link Inc., where x represents millions of swords produced. Find the production level that maximizes profit.


7. (10 points) Uranianite is draining out of the conical cargo hold of an alien spaceship shown below. The vertex is pointing down, the radius is 40 ft, and the height is 50 ft. Suppose the uranianite is draining out at the rate of $5 \frac{\text{ft}^3}{\text{sec}}$. How fast is the uranianite depth y falling when the uranianite is 25 ft deep? Make sure you include the units of your answer.



8. (10 points) Write a checkmark (✓) under each of the indeterminate forms.

$\infty \cdot \infty$	$\frac{\infty}{\infty}$	0^0	∞^∞	$\frac{0}{0}$	1^∞	0^1	$\frac{0}{1}$
$\infty - \infty$	$\frac{0}{\infty}$	0^∞	$\infty \cdot 0$	$\frac{\infty}{0}$	∞^0	$\frac{0}{\infty}$	$\frac{1}{\infty}$

9. (10 points) The graph of $f(x) = x^3 - x + 1$ is shown below. Estimate the real root of f using one iteration of Newton's method with initial guess $x_0 = -1$. i.e. Compute x_1 . On the graph, mark the initial point x_0 , the next approximation x_1 , and sketch the tangent line to the curve at $x = x_0$.



10. Compute the following. Justify.

(a) (5 points) $\lim_{x \rightarrow 0} \frac{x^2 + x}{e^x - 1}$

(b) (5 points) $\lim_{x \rightarrow 0} \left(\frac{1}{x} - \frac{1}{\sin x} \right)$

11. (10 points) Help Homer design a cylindrical silo to hold the output from his pet pig *Harry Plopper*. The silo should be able to hold 125π ft³ of pig manure. Find the radius and height that will minimize the surface area of a sealed silo (top, bottom, and side).

